

GA: AMT 2031-001-1-M

Products listed and types are indicative of quality, alternatives may be considered to suit the buyer's application or availability.

**GENERAL**

Application	Offshore and interisland cargo and passenger craft, survey and seismic services, medical evacuations etc.
Vessel Type	Shallow draft landing craft
Designer	Australian Marine Technology Pty Ltd
Builder	MOC Shipyards Pvt Ltd
Crewing	5 plus crew with 52 PAX
Classification	BV cargo passenger unrestricted
Construction	Steel hull / aluminium superstructure

**DIMENSIONS**

Length Overall	39.0 meters
Beam	11.0 meters
Draft	2.20 meters loaded, 1.10 lightship
Clear Deck Area	240 meters square
Deck Load	180 tonnes
Deadweight	330 tonnes

**PERFORMANCE**

Economic Speed	8 knots @ 75% MCR
Speed Maximum	10 knots @ 100% MCR
Range	900 NM with 10% reserve

**MACHINERY**

Main Engines	2 x Cummins KT19M3 @ 447 kW each
Propulsion	FPP aligned with keels c/w twin rudders
Generators	2 x 45 kW 415V 50 hz
Exhaust	Dry stacks aft

**TANK CAPACITIES**

Fuel Oil	16,000 litres
Potable Water	8,000 litres
Cargo Fuel	Up to 250,000 litres independent tanks **
Fuel Transfer	Via manifold delivery > 200 meters **

**AUXILIARY EQUIPMENT**

Sewage Treatment	1,000 litres, (optional STP)
Oily Water Separator	15ppm (optional)
Fire Hydrants	3 station
Fixed Fire System	CO2 (if required)
Bilge System	Mechanical with electric backup

**ACCOMMODATION**

Airconditioned and heated habitable spaces, cabins 2 x 4 person and 2 x 2 person. Galley, mess, large store, kiosk, WC's and showers.

**DECK EQUIPMENT**

Fendering	Half round strake c/w aircraft tyres
Deck Protection	Hardwood timber (optional)
Cargo Lashing	Recessed SWL 2 tonne
Deck Crane	Knuckle boom 1 tonne @ 15 meters (optional)
Mooring	8 x double bit bollards
Plating	Hull 6mm, bottom 8mm and cargo deck 10mm
Access	Gangway and gunwale door
Anchor	2 x 260 kg with 2 x 210 chain, 2 x winches
Loading Ramp	6.50 meter clear width, electric winches


**NAVIGATION**

Searchlight	2 x Francis L300 remote control
Radar System	Simrad NSS16 MDF Halo 20 48 NM
Echo Sounder	Simrad BSM 3 c/w 1 kW TXPR
Nav Plotter	Simrad NSS16
GPS	Simrad GS25
DGPS	Simrad MX610
Auto Pilot	Simrad AP70
SSB / HF Radio	Icom M85E
VHF Radio	Icom M510E
Handheld Radio	1 x Icom M85E
Compass	Simrad Fluxgate FC40
Intercom	2 x Icom M510E c/w wireless remote
Barometer / Clock	As directed by Flag State
Navigation Lights	SOLAS approved
Fog Horn	SOLAS approved
Deck Lights	6 x recessed
EPIRB	Simrad 406
SART	Simrad SA70
Inmarsat	C system iFleet one wideye


**LIFE SAVING**

Life Rafts	2 x 50 person SOLAS
Personal Flotation	60 x SOLAS
Tender	8.0 meter c/w 40 HP (optional)



\*\* denotes OPTIONAL




STARBOARD PROFILE



DECK PLAN



01 DECK PLAN



FRONT ELEVATION

